

## Accessories plugs - connectors - Closure cap for CEE plugs




| Product description   |               |
|-----------------------|---------------|
| BALS-Prd.-Nr          | 833           |
| EAN                   | 4024941008334 |
| Product category      | closure cap   |
| Current               | 63A           |
| Number of poles       | 3p, 4p, 5p    |
| Arrangement of phases | 3p, 4p, 5p    |
| Protection degree     | IP67          |
| Colour code           | grey RAL 7035 |

| Product description   |           |
|-----------------------|-----------|
| Height                | 105mm     |
| Width                 | 95mm      |
| Depth                 | 72.5mm    |
| Material of enclosure | Polyamide |

| Additional technical properties |            |
|---------------------------------|------------|
|                                 | With strap |

| Logistics data |                 |
|----------------|-----------------|
| Weight/pcs     | 0.11 kg / Piece |
| Packaging      | Bag             |
| Content amount | 1 ST            |
| EAN            | 4024941008334   |
| Length         | 72.5 mm         |
| Width          | 95 mm           |
| Height         | 105 mm          |
| Weight         | 0.111 kg        |
| Volume         | 723.188 ccm     |
| Packaging      | Carton          |
| Content amount | 50 ST           |
| EAN            | 4024941950251   |
| Length         | 590 mm          |

| Logistics data |            |
|----------------|------------|
| Width          | 380 mm     |
| Height         | 230 mm     |
| Weight         | 6.255 kg   |
| Volume         | 45,066 ccm |



| Ampere Polzahl | 16<br>3 | 16<br>4 | 16<br>5 | 32<br>3/4 | 32<br>5 | 63<br>3/4/5 | 125<br>3/4/5 |
|----------------|---------|---------|---------|-----------|---------|-------------|--------------|
| a              | 53,0    | 59,5    | 67,0    | 70,0      | 76,5    | 83,5        | 95,5         |
| b ø            | 49,5    | 55,7    | 63,0    | 64,0      | 70,5    | 76,5        | 89,0         |
| c              | 41,5    | 41,5    | 41,5    | 51,5      | 51,5    | 72,5        | 80,0         |
| d              | 133,0   | 133,0   | 133,0   | 133,0     | 133,0   | 155,0       | 155,0        |
| e              | 34,5    | 38,0    | 42,0    | 44,0      | 48,0    | 52,0        | 57,5         |
| f ø            | 6,4     | 6,4     | 6,4     | 6,4       | 6,4     | 6,4         | 6,4          |
| g ø            | 12,0    | 12,0    | 12,0    | 12,0      | 12,0    | 12,0        | 12,0         |
| h              | 5,0     | 5,0     | 5,0     | 5,0       | 5,0     | 5,0         | 5,0          |
|                |         |         |         |           |         |             |              |
|                |         |         |         |           |         |             |              |
|                |         |         |         |           |         |             |              |