




- | | | | |
|---|-----------------------------|---------------------------------------|----------------------------|
| • Height adjustable: | 2040 mm to 2115 mm | • Number of intermediate shelves: | 3 |
| • Gastronorm: | 2/1 GN | • Number of doors: | 1 |
| • Power load: | 0,368 kW 230 V 50/60 Hz | • Material: | CNS 18/10 |
| • Height-adjustable feet: | Yes | • Important information: | - |
| • Temperature control: | Thermostatic | • GWP: | 3 |
| • Temperature range: | -2 °C to 8 °C | • Energy consumption: | 548 kWh / an |
| • Type of door: | Leaf door(s) | • Energy efficiency class: | C (EU No. 2015 / 1094) |
| • Coolant: | R600a / 0,098 kg | • Dimensions of intermediate shelves: | W 530 x D 650 mm |
| • Door hinge side: | Left | • Ambient temperature: | to 30 °C |
| • Door hinge side can be changed: | Yes | • Advertising display: | - |
| • Control unit: | Knob | • With price strips: | No |
| • Control lamp: | ON/OFF | • Size: | W 655 x D 855 x H 2,050 mm |
| • Climate class: | 4 | • Weight: | 106.2 kg |
| • Cooling: | Circulating air | | |
| • Digital display: | Yes | | |
| • Interior lighting: | No | | |
| • Insulation: | Polyurethane, 60 mm | | |
| • Height-adjustable intermediate shelves: | Yes | | |
| • Automatic defrosting function: | Yes | | |
| • Drip water evaporation: | Yes | | |
| • ON/OFF switch: | Yes | | |
| • Lockable: | Yes | | |
| • Properties: | - | | |
| • Thermostat: | Yes | | |
| • Colour: | Stainless steel | | |
| • Content: | 700 litre(s) | | |
| • Material inside: | Stainless steel | | |

Refrigerator 2/1GN 700L

Add on Products

Thermometer A250

STAINLESS
STEEL



- Important information: -
- Including: -
- Material: Stainless steel
Plastic
- Colour: White
Silver
- Design: Analogue
- With temperature sensor: No
- Temperature range: -40 °C to 25 °C
- Temperature measurement units: °C
°F

Code-No. 292043
GTIN 4015613664279

Thermometer A300

STAINLESS
STEEL



- Control unit: -
- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigeration cell
- Temperature range: -30 °C to 30 °C
- Design: Analogue
- With temperature sensor: No
- Designed for: Room temperature measurements
Refrigerators / upright freezers

Code-No. 292048
GTIN 4015613664262

Thermometer A500



- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigerated rooms
- Temperature range: -30 °C to 50 °C
- Designed for: Room temperature measurements
Refrigerators / upright freezers
Temperature monitoring during transport and storage
- Properties: Temperature range also in Fahrenheit
With suspension device

Code-No. 292049
GTIN 4015613664286

Stainl.steel polish.spray 500ml can



- Content / can: 500 ml
- Order quantity unit: 1 box (12 cans)
- Application: Remove heavy soiling such as grease residue first
Do not spray onto hot surfaces
- allow them to cool down first:
- Application: Before use, bring the can to room temperature and shake well
Spray sparingly onto the surfaces to be cleaned
Rub evenly over the entire surface

Code-No. 173031
GTIN 4015613360195

Refrigerator 2/1GN 700L

Add on Products


Thermometer D3000 KTP-KL



- Control unit: Electronic
- Puncture depth: 110 mm
- Temperature range: -40 °C to 300 °C
- Design: Digital
- With temperature sensor: Yes
- Colour: White
- Temperature measurement units: °C
°F
- Material temperature sensor: Stainless steel
- Diameter temperature sensor: 3,5 mm
- Material: Plastic ABS

Code-No. 292481
GTIN 4015613720432


1 pair of rails



- Important information: -
- Size: W 565 x D 15 x H 25 mm
- Weight: 0.53 kg

Code-No. 700488
GTIN 4015613685052

Grid 2/1GN



- Gastronorm: 2/1 GN
- Important information: -
- Size: W 650 x D 530 x H 21 mm
- Weight: 2.02 kg

Code-No. 700487
GTIN 4015613587202