




Produktdetails

WF39KN43UT

Measurement and metering transformer board, 1350 mm x 750 mm x 160 mm



Allgemeine Informationen	
Typ	WF39KN43UT
Bestellnummer	2CPX056225R9999
EAN	4011617562252
Beschreibung	Measurement and metering transformer board, 1350 mm x 750 mm x 160 mm
Langbeschreibung	Measurement and metering transformer board, fully assembled module, with Metering cross, for the internal use, degree of protection IP2XC, applicable standards: DIN VDE 0603-2-2, Rated operational voltage 415V AC 50/60 Hz, rated current 200 A, Rated current of the assembly of switchgear and controlgear InA 200 A, in RAL 7035, dimensions in mm (H x W x D): 1350 x 750 x 160, Metering module pre-wired, Earthing system TN-S, 5-pole, net side compartment, meter space: with busbar, Number of SG spaces 1, Number of transformer meter spaces 1, net side compartment, meter space: with busbar, Pre-wired according requirements DSO, voltage path Fuse base element D01/3-pole and D01/1-pole, busbar system Cu busbars 2 x 12 x 5 mm 5-pole, parting point before the current transformer Fuse base element NH2/400 A, current transformer range CT mounting pad out of support insulators for CT rail with 130 mm hole distance, parting point after the current transformer 2 Fuse switch disconnecter NH00/250 A (M10), primary wiring 120 qmm, Connection N+PE (M10), Grid unit 9 GU, Overall height 5, panel width 3, Space units 324, covers out of Plastic, Quick sealable connection, RAL 7035

Technische Daten	
Bauhöhe	5

Design	
Farbe	lichtgrau

Material Compliance	
RoHS Information	2CPC100016X0201
RoHS Status	nach EU Richtlinie 2011/65/EU und Ergänzungen 2015/863 22. Juli 2019
REACH Erklärung	2CPC100005X0201
Konfliktmineralien-Berichtsvorlage (CMRT)	9AKK108468A3363
WEEE Kategorie	4. Großgeräte, bei denen mindestens eine der äußeren Abmessungen mehr als 50 cm beträgt
WEEE B2C / B2B	B2B

Abmessungen	
Breite (Netto-Abmessung)	750 mm
Höhe (Netto-Abmessung)	1350 mm
Tiefe (Netto-Abmessung)	160 mm
Nettogewicht	43.193 kg
Feldbreite	3

Bestelldaten	
Menge	Packung 1 Stück
Verpackungseinheit 1	
Bruttogewicht	44.921 kg
Verpackungseinheit 1	

Zertifikate und Deklarationen	
Konformitätserklärung - CE	2CPC100016X0201

Installation / Montage	
Montage- und Betriebsanleitung	2CPC130108M5601

Hauptdokumente	
Datenblatt, technische Information	No document needed
Datenblatt, technische	2CPC000338D0201

Externe Klassifizierungen und Normen

ETIM 9	EC000263 - Zählerfeld
ETIM 10	EC000263 - Zählerfeld
Kennbuchstabe (elektrische Betriebsmittel)	U

Kategorien

Niederspannungsprodukte und Systeme → Energie-Verteilersysteme → Unterverteiler → Wandlerschränke und Wandlerfelder → Mess- und Wandlerfelder

