





Bügelschelle 28-34 bandverzinkt,
inkl. UV-beständigen Gegenwanne 34, schwarz



4 046725 402961

Leistungsmerkmale

Das RED Bügelschellen-Portfolio ist jetzt noch anwendungs- und installationsfreundlicher, mit deutlich stärkerem Halt. Unser Portfolio wurde gezielt an den realen Anforderungen aus der Praxis ausgerichtet. So bieten unsere Bügelschellen optimale Lösungen, um die Herausforderungen im Installationsalltag sicher und mühelos zu meistern. Die sichere und effiziente Befestigung von Leitungen, Kabel und Rohre auf Profilschienen und Kabelleitern sind gewährleistet.

DEHA-Nummer

7621213

Artikelnummer

2110-40-0068

EAN

4046725402961

Kennzeichnung



Bügelschelle 28-34 bandverzinkt,
inkl. UV-beständigen Gegenwanne 34, schwarz

Allgemeine Daten

Merkmale	
Für Rohre (metrisch)	32
Spannbereich	28 - 34 mm
Werkstoff Schelle	Stahl
Oberfläche Schelle	bandverzinkt
Werkstoff der Wanne	Kunststoff
Werkstoffgüte der Wanne	Polypropylen (PP)
Werkstoff Schraube	Stahl
Werkstoff der Gegenwanne	Kunststoff
Halogenfrei	ja
Mit Gegenwanne	ja
Montageart	C-Profil
Max. Anzahl der Kabel	1



Produktabbildungen

Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
7621213	BFM-BÜS 28-34 2.0	2110-40-0068	4046725402961	50 Stück



U-bolt clamp 28-34 strip-galvanized,
including UV-resistant counter plate 34, black



4 046725 402961

Performance features

The RED cable clamp portfolio is now even more user-friendly and easier to install, with significantly stronger holding power. Our portfolio has been specifically designed to meet real-world requirements. Our cable clamps offer optimal solutions for mastering the challenges of everyday installation work safely and effortlessly. Secure and efficient fastening of wires, cables, and pipes to profile rails and cable trays is guaranteed.

DEHA number

7621213

Item number

2110-40-0068

EAN

4046725402961

label



U-bolt clamp 28-34 strip-galvanized,
including UV-resistant counter plate 34, black

General Data

Features	
For pipes (metric)	32
Chuckling range	28 - 34 mm
Material clamp	Steel
Surface clamp	Continuously galvanized
Tub material	Plastic
Tub material quality	Polypropylene
Material screw	Steel
Material of the counter basin	Plastic
Halogen free	yes
With counter basin	yes
Mounting method	C-profile
Max. number of cables	1

Product pictures

Order Data

DEHA no	Type	Item number	EAN	VPE
7621213	BFM-BÜS 28-34 2.0	2110-40-0068	4046725402961	50 Piece