





Bügelschelle 22-28 bandverzinkt,
inkl. UV-beständigen Gegenwanne 28, schwarz



4 046725 402954

Leistungsmerkmale

Das RED Bügelschellen-Portfolio ist jetzt noch anwendungs- und installationsfreundlicher, mit deutlich stärkerem Halt. Unser Portfolio wurde gezielt an den realen Anforderungen aus der Praxis ausgerichtet. So bieten unsere Bügelschellen optimale Lösungen, um die Herausforderungen im Installationsalltag sicher und mühelos zu meistern. Die sichere und effiziente Befestigung von Leitungen, Kabel und Rohre auf Profilschienen und Kabelleitern sind gewährleistet.

DEHA-Nummer

7621212

Artikelnummer

2110-40-0067

EAN

4046725402954

Kennzeichnung



Bügelschelle 22-28 bandverzinkt,
inkl. UV-beständigen Gegenwanne 28, schwarz

Allgemeine Daten

Merkmale	
Für Rohre (metrisch)	25
Spannbereich	22 - 28 mm
Werkstoff Schelle	Stahl
Oberfläche Schelle	bandverzinkt
Werkstoff der Wanne	Kunststoff
Werkstoffgüte der Wanne	Polypropylen (PP)
Werkstoff Schraube	Stahl
Werkstoff der Gegenwanne	Kunststoff
Halogenfrei	ja
Mit Gegenwanne	ja
Montageart	C-Profil
Max. Anzahl der Kabel	1



Produktabbildungen

Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
7621212	BFM-BÜS 22-28 2.0	2110-40-0067	4046725402954	100 Stück



U-bolt clamp 22-28 strip-galvanized,
including UV-resistant counter plate 28, black



4 046725 402954

Performance features

The RED cable clamp portfolio is now even more user-friendly and easier to install, with significantly stronger holding power. Our portfolio has been specifically designed to meet real-world requirements. Our cable clamps offer optimal solutions for mastering the challenges of everyday installation work safely and effortlessly. Secure and efficient fastening of wires, cables, and pipes to profile rails and cable trays is guaranteed.

DEHA number

7621212

Item number

2110-40-0067

EAN

4046725402954

label



U-bolt clamp 22-28 strip-galvanized,
including UV-resistant counter plate 28, black

General Data

Features	
For pipes (metric)	25
Chuckling range	22 - 28 mm
Material clamp	Steel
Surface clamp	Continuously galvanized
Tub material	Plastic
Tub material quality	Polypropylene
Material screw	Steel
Material of the counter basin	Plastic
Halogen free	yes
With counter basin	yes
Mounting method	C-profile
Max. number of cables	1

Product pictures

Order Data

DEHA no	Type	Item number	EAN	VPE
7621212	BFM-BÜS 22-28 2.0	2110-40-0067	4046725402954	100 Piece