





Bügelschelle 46-52 bandverzinkt,
inkl. UV-beständigen Gegenwanne 52, schwarz



4 046725 402992

Leistungsmerkmale

Das RED Bügelschellen-Portfolio ist jetzt noch anwendungs- und installationsfreundlicher, mit deutlich stärkerem Halt. Unser Portfolio wurde gezielt an den realen Anforderungen aus der Praxis ausgerichtet. So bieten unsere Bügelschellen optimale Lösungen, um die Herausforderungen im Installationsalltag sicher und mühelos zu meistern. Die sichere und effiziente Befestigung von Leitungen, Kabel und Rohre auf Profilschienen und Kabelleitern sind gewährleistet.

DEHA-Nummer

7621216

Artikelnummer

2110-40-0071

EAN

4046725402992

Kennzeichnung



Bügelschelle 46-52 bandverzinkt,
inkl. UV-beständigen Gegenwanne 52, schwarz

Allgemeine Daten

Merkmale	
Für Rohre (metrisch)	50
Spannbereich	46 - 52 mm
Werkstoff Schelle	Stahl
Oberfläche Schelle	bandverzinkt
Werkstoff der Wanne	Kunststoff
Werkstoffgüte der Wanne	Polypropylen (PP)
Werkstoff Schraube	Stahl
Werkstoff der Gegenwanne	Kunststoff
Halogenfrei	ja
Mit Gegenwanne	ja
Montageart	C-Profil
Max. Anzahl der Kabel	1



Produktabbildungen

Bestelldaten

DEHA-Nr.	Typ	Artikelnummer	EAN	VPE
7621216	BFM-BÜS 46-52 2.0	2110-40-0071	4046725402992	50 Stück



U-bolt clamp 46-52 strip-galvanized,
including UV-resistant counter plate 52, black



4 046725 402992

Performance features

The RED cable clamp portfolio is now even more user-friendly and easier to install, with significantly stronger holding power. Our portfolio has been specifically designed to meet real-world requirements. Our cable clamps offer optimal solutions for mastering the challenges of everyday installation work safely and effortlessly. Secure and efficient fastening of wires, cables, and pipes to profile rails and cable trays is guaranteed.

DEHA number

7621216

Item number

2110-40-0071

EAN

4046725402992

label



U-bolt clamp 46-52 strip-galvanized,
including UV-resistant counter plate 52, black

General Data

Features	
For pipes (metric)	50
Chuckling range	46 - 52 mm
Clamp material	Steel
Surface clamp	Continuously galvanized
Tub material	Plastic
Tub material grade	Polypropylene
Screw material	Steel
Countertub material	Plastic
Halogen-free	yes
With countertub	yes
Mounting method	C-profile
Max. number of cables	1

Product pictures

Order Data

DEHA no	Type	Item number	EAN	VPE
7621216	BFM-BÜS 46-52 2.0	2110-40-0071	4046725402992	50 Piece