

## wall mounting socket outlet, fused - housing dimensions 260x160, with RCCB




| Product description       |                                    |
|---------------------------|------------------------------------|
| BALS-Prd.-Nr              | 15147                              |
| EAN                       | 4024941151474                      |
| Product category          | Wall mounting socket outlet, fused |
| Current                   | 32A                                |
| Number of poles           | 5p                                 |
| Arrangement of phases     | 3p+N+PE                            |
| Position of earth contact | 6 h                                |
| Voltage                   | 200/346 - 240/415V~                |

| Product description    |                                                                                                                                              |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Frequency              | 50/60Hz                                                                                                                                      |
| Protection degree      | IP44                                                                                                                                         |
| Colour code            | red RAL 3000                                                                                                                                 |
| Colour of appliance    | Hinged lid red RAL 3000, Housing bottom grey RAL 7035, Housing top grey RAL 7035, Operating window smoky topaz, Housing screws grey RAL 7035 |
| Connection design      | with screw terminal                                                                                                                          |
| Maximum conductor size | 10,0 qmm                                                                                                                                     |
| Cable entry            | top entry M40 bottom entry M40/M32                                                                                                           |
| Height                 | 287mm                                                                                                                                        |
| Width                  | 160mm                                                                                                                                        |
| Depth                  | 165mm                                                                                                                                        |
| Dimension of enclosure | 260x160 mm (HxW)                                                                                                                             |
| Material of enclosure  | Polycarbonate                                                                                                                                |
| Contacts               | The contact carrier is made of polyamide, the contacts are brass nickel plated                                                               |

| Additional technical properties |                                                      |
|---------------------------------|------------------------------------------------------|
|                                 | The cable entry is one at top and two at bottom open |
|                                 | With 4 pole 40/0.03A RCCB                            |

| Logistics data |                 |
|----------------|-----------------|
| Weight/pcs     | 2.02 kg / Piece |
| Packaging      | Carton          |

| Logistics data |               |
|----------------|---------------|
| Content amount | 1 ST          |
| EAN            | 4024941151474 |
| Length         | 325 mm        |
| Width          | 217 mm        |
| Height         | 210 mm        |
| Weight         | 2.236 kg      |
| Volume         | 13,588.4 ccm  |



# 14 MB 14