


plastic - wall mounted combination units



| Product description | |
|---------------------|--|
| BALS-Prd.-Nr | 892520 |
| EAN | 4024941787413 |
| Product category | VARIABOX |
| Specification/Norm | DIN EN 61439-3 |
| Protection degree | IP44 |
| Colour of appliance | Housing bottom simular black RAL 9017, Housing top grey RAL 7035 |
| Height | 650mm |
| Width | 230mm |
| Depth | 145mm |

| Product description | |
|---------------------|------|
| RDF factor | 0.71 |
| Rated current InA | 63 |

| Logistics data | |
|----------------|----------------|
| Weight/pcs | 9.0 kg / Piece |
| Packaging | Carton |
| Content amount | 1 ST |
| EAN | 4024941787413 |
| Length | 690 mm |
| Width | 270 mm |
| Height | 255 mm |
| Weight | 9.414 kg |
| Volume | 47,506.5 ccm |



Tiefenmaß/ depth X (mm)

| Bezeichnung/ with | IP44 | IP67 |
|------------------------------------|------|------|
| OTC-Klappe/ OTC operating window | 180 | 180 |
| Schutzk. Steckdose/domestic socket | 162 | 205 |
| CEE 16A 3p | 200 | 200 |
| CEE 16A 4p | 204 | 202 |
| CEE 16A 5p | 207 | 205 |
| CEE 32A 3p/4p | 211 | 213 |
| CEE 32A 5p | 213 | 214 |
| CEE 63A 3p/4p/5p | 229 | 231 |