

## Connector - with TE screw terminals for harsh applications



| Product description       |               |
|---------------------------|---------------|
| BALS-Prd.-Nr              | 3185          |
| EAN                       | 4024941031851 |
| Product category          | TE connector  |
| Current                   | 63A           |
| Number of poles           | 4p            |
| Arrangement of phases     | 3P+PE         |
| Position of earth contact | 6 h           |
| Voltage                   | 380 - 415V~   |

| Product description    |   |
|------------------------|---|
| Frequency              | 50/60Hz   |
| Protection degree      | IP67  |
| Colour code            | red RAL 3000  |
| Colour of appliance    | Housing cover red RAL 3000, Collar red RAL 3000, Hinged lid red RAL 3000, Bayonet ring grey RAL 7035, Cable gland grey RAL 7035 |
| Connection design      | screw terminal as box terminal with Kontex-contact  |
| Maximum conductor size | 16,0 qmm  |
| Cable entry            | Cable gland   |
| Height                 | 251mm   |
| Width                  | 110mm   |
| Depth                  | 115mm   |
| Material of enclosure  | Polyamide   |
| Contacts               | the contact carrier is made of high temperature resistant material, the contacts are brass nickel plated                        |

| Additional technical properties |  |
|---------------------------------|--|
|                                 | For cable diameter from 16 up to max. 36 mm, Screwless housing connection, MULTI-GRIP cable gland with gasket, integrated cable clamp and additional water evacuation openings |

| Logistics data |                 |
|----------------|-----------------|
| Weight/pcs     | 0.72 kg / Piece |
| Packaging      | Bag             |

| Logistics data |               |
|----------------|---------------|
| Content amount | 1 ST          |
| EAN            | 4024941031851 |
| Length         | 115 mm        |
| Width          | 110 mm        |
| Height         | 251 mm        |
| Weight         | 0.721 kg      |
| Volume         | 3,175.15 ccm  |
| Packaging      | Carton        |
| Content amount | 5 ST          |
| EAN            | 4024941946315 |
| Length         | 325 mm        |
| Width          | 217 mm        |
| Height         | 210 mm        |
| Weight         | 3.806 kg      |
| Volume         | 13,588.4 ccm  |

