

Connector - 7 poles with MULTI-GRIP




Product description	
BALS-Prd.-Nr	31515
EAN	4024941315159
Product category	connector
Current	32A
Number of poles	7p
Arrangement of phases	6p+PE
Position of earth contact	6 h
Voltage	400V~
Frequency	50/60Hz

Product description	
Protection degree	IP67
Colour code	red RAL 3000
Colour of appliance	Hinged lid red RAL 3000, Enclosure red RAL 3000, Bayonet ring grey RAL 7035, Cable gland grey RAL 7035
Connection design	with screw terminal
Maximum conductor size	6,0 qmm
Cable entry	Cable gland
Height	196mm
Width	101.5mm
Depth	106mm
Material of enclosure	Polyamide
Contacts	the contact carrier is made of high temperature resistant material, the contacts are brass

Additional technical properties	
	For cable diameter from 13 up to max. 27 mm, MULTI-GRIP cable gland with gasket, integrated cable clamp and additional water evacuation openings

Logistics data	
Weight/pcs	0.461 kg / Piece
Packaging	Bag
Content amount	1 ST
EAN	4024941315159

Logistics data	
Length	106 mm
Width	101.5 mm
Height	196 mm
Weight	0.462 kg
Volume	2,108.764 ccm
Packaging	Carton
Content amount	10 ST
EAN	4024941962469
Length	330 mm
Width	216 mm
Height	260 mm
Weight	4.836 kg
Volume	17,062.5 ccm

	Ampere	16	32						
	Polzahl	7	7						
a Ø		86,5	101,5						
b		168,0	200,0						
c		93,0	107,0						
d Ø		21,0	27,0						
Leiter mm ² min		1	2,5						
Leiter mm ² max		2,5	6						