2B210596 CR-2L/1BP

Panasonic

CR2 blister with 1 piece





Panasonic's cylindrical lithium batteries are premium lithium batteries for energy-hungry appliances.

KEY FEATURES

- · For light weight appliances that need power
- · Long shelf life of up to 10 years.

- Safety guarantee Using 4 built-in safety additions, Panasonic ensures an explosion proof structure for its cylindrical lithium batteries, and a power cut off in case of overload.
- Reliable even in a wide range of temperatures (-40°C to +70°C)



MASTERDATA 2B210596 CR-2L/1BP

Panasonic

Material Number

Material number	2B210596
-----------------	----------

Basic Data

Brand	Panasonic
Size	CR2
Technology	PHOTO LITHIUM
Voltage	3V
Commodity Code	85065010
Commodity Code Name	PECE Lithium Cylindrical
Country Code	ID
Country Name	Belgium
Item Description	CR-2L/1BP
Old Material Number	CR-2L/1BP
Base Unit of Measure	ST
Last SAP sync date	2019-04-10
Last SAP sync time	16:30:01

Piece

Conversion Numerator	1
Length	0.0
Width	0.0
Height	27.0
Dimensions Unit	MM
Total Weight	0.026
Weight Unit	KG
Volume	0.113
Volume Unit	CDM

CSU

Conversion Numerator	1
EAN	5025232016082
Length	120.0
Width	83.0
Height	14.87
Dimensions Unit	MM
Total Weight	0.015
Weight Unit	KG
Volume	0.148
Volume Unit	СDМ

Carton

Conversion Numerator	10
Length	123.0
Width	109.0
Height	84.0
Dimensions Unit	MM
Total Weight	0.177
Weight Unit	KG
Volume	1.126
Volume Unit	CDM
EAN	5410853010852

Bundle

Conversion Numerator	100
Length	557.0
Width	93.0
Height	176.0
Dimensions Unit	MM
Total Weight	1.995
Weight Unit	KG
Volume	3.054
Volume Unit	CDM
Width	129.0
Dimensions Unit	MM
Volume	12.646
Volume Unit	CDM
EAN	5410853018179

Layer

Conversion Numerator	1000
Length	0.0
Width	0.0
Height	0.0
Total Weight	0.0
Volume	0.0

Pallet

Conversion Numerator	4000
Length	1200.0
Width	800.0
Height	854.0
Dimensions Unit	MM
Total Weight	105.427
Weight Unit	KG
Volume	819.84
Volume Unit	CDM

Contact

Panasonic Energy Europe NV Brusselsesteenweg 502 1731 Zellik | Belgium https://www.panasonic-batteries.com

This datasheet is provided for general information, it is not a substitute for and does not replace the technical product spec sheet. While every effort is made to keep the information contained herein up to date and correct, completeness, accuracy and reliability are not guaranteed.