


Zwillingssaderendhülsen Streudose DIN 46228 Teil 4
2x0,5 – 2x2,5 mm², Länge 8 mm/9 mm, isoliert**Leistungsmerkmale**

Streudose gefüllt mit Zwillingssaderendhülsen für Kabelquerschnitte von 2x0,5 mm² bis 2x2,5 mm².

Der Inhalt ist folgender:

2x0,5 mm² weiß (50 Stück),
2x0,75 mm² grau (50 Stück),
2x,1,0 mm² rot (50 Stück),
2x1,5 mm² schwarz (50 Stück),
2x2,5 mm² blau (25 Stück).

Die handliche und portable Ausführung der Dose aus Polystyrol ist mit einem praktischen und sicheren Drehverschluss versehen. Die isolierten Aderendhülsen garantieren eine optimale elektrische Verbindung zwischen Leiter und Kabelklemme sowie eine einfache Montage.

Gratfreie Ausführung in Länge 8-9 mm, mit Aufweitung, zur einfachsten und spleissfreien Kabeleinführung.

Material: Hülse aus Kupfer gefertigt, in galvanisch verzinneter Ausführung für höchstmöglichen Korrosionsschutz. Die Isolation aus Polypropylen garantiert eine hohe Lebensdauer und Bruchsicherheit. Extreme Temperaturbeständigkeit für Schalterschrankumgebungsbedingungen bis **105 °C**.

Ausführung der Farbgebung und Abmessungen gemäß DIN 46228 Teil 4. Maximaler Gesundheits- und Umweltschutz: RoHS-konform und halogenfrei

DEHA Nummer

5932760

Artikelnummer

2250-30-0013

EAN-Nummer

4046725360179

Kennzeichnung**Zusatzinformation**

Die handliche und portable Ausführung der Dose aus Polystyrol ist mit einem praktischen und sicheren Drehverschluss versehen.

Zwillingsaderendhülsen Streudose DIN 46228 Teil 4 2x0,5 – 2x2,5 mm², Länge 8 mm/9 mm, isoliert

Allgemeine Daten

Elektrische Daten	5932760
Menge	225 Stück
Werkstoff	Kupfer
Oberfläche	reinverzinnt
Ø mm ²	2x0,5-2x2,5 mm ²
Länge	8/9 mm
DIN	46228 Teil 4

Inhalt

Ø	ØD1	ØD2	L1	L2	E	S1	AWG	Farbe	Menge
2x0,5 mm ²	1,5 mm	4,9 mm	16 mm	8 mm	2,5 mm	0,15 mm	2x20	weiß	50 Stück
2x0,75 mm ²	1,8 mm	5,2 mm	16 mm	8 mm	2,6 mm	0,15 mm	2x20	grau	50 Stück
2x1,0 mm ²	2,0 mm	5,8 mm	15 mm	8 mm	3,2 mm	0,15 mm	2x18	rot	50 Stück
2x1,5 mm ²	2,3 mm	6,5 mm	16 mm	8 mm	3,6 mm	0,15 mm	2x16	schwarz	50 Stück
2x2,5 mm ²	2,9 mm	7,5 mm	18 mm	9 mm	4,3 mm	0,15 mm	2x14	blau	25 Stück

Produktabbildungen




Bestelldaten

DEHA-Nr.	Type	EAN	VPE
5932760	2250-30-0013	4046725360179	1 Stk.

Technische Änderungen vorbehalten



Box of twin-insulated end-sleeves DIN 46228 part 4;
2x0,5 – 2x2,5 mm², length 8 mm/9 mm, insulated



Features

Box of twin-insulated end-sleeves for cable cross sections 2x0,5 mm² to 2x2,5 mm².
It contains:

2x0,5 mm² white (50 pcs),
2x0,75 mm² grey (50 pcs),
2x,1,0 mm² red (50 pcs),
2x1,5 mm² black (50 pcs),
2x2,5 mm² blue (25 pcs).

The handy and portable version of the box made of polystyrene is practical and has a secure screw cap. The isolated end-sleeves guarantee optimal electrical connection between conductor and cable clamp as well as easy assembly.

Burr-free version in length 8-9 mm, with expansion, for the simplest cable entry.

Material: sleeve made of copper, in galvanic tinned version for the highest possible protection of corrosion. The polypropylene insulation guarantees a long service life and break resistance.

Extreme temperature resistance for control cabinet environmental conditions up to 105 °C.

Colour scheme and dimensions according to DIN 46228 part 4. Maximum health and Environmental protection: RoHS compliant and halogen free

DEHA number

5932760

Item number

2250-30-0013

EAN

4046725360179

labels



Additional information

The handy and portable version of the box made of polystyrene is practical and comes with a secure screw cap.

Box of twin-insulated end-sleeves DIN 46228 part 4;
2x0,5 – 2x2,5 mm², length 8 mm/9 mm, insulated


General data

Electrical data	5932760
Quantity	225 pcs
Material	copper
Surface	pure tinned
Ø mm ²	2x0,5-2x2,5 mm ²
Length	8/9 mm
DIN	46228 part 4

Content

Ø	ØD1	ØD2	L1	L2	E	S1	AWG	colour	Amount
2x0,5 mm ²	1,5 mm	4,9 mm	16 mm	8 mm	2,5 mm	0,15 mm	2x20	white	50 pcs
2x0,75 mm ²	1,8 mm	5,2 mm	16 mm	8 mm	2,6 mm	0,15 mm	2x20	grey	50 pcs
2x1,0 mm ²	2,0 mm	5,8 mm	15 mm	8 mm	3,2 mm	0,15 mm	2x18	red	50 pcs
2x1,5 mm ²	2,3 mm	6,5 mm	16 mm	8 mm	3,6 mm	0,15 mm	2x16	black	50 pcs
2x2,5 mm ²	2,9 mm	7,5 mm	18 mm	9 mm	4,3 mm	0,15 mm	2x14	blue	25 pcs

product pictures



Order data

DEHA-Nr.	Type	EAN	VPE
5932760	2250-30-0013	4046725360179	1 pcs.