




## BREENA-S Einbaustrahler, GU 10

Article no. 36142030



### Tender

Einbaustrahler, GU10, chrome satin. In a compact design, for installation in tool-less rapid assembly systems. Including bracket with GU10 socket for standard-compliant strain relief. Lamp holder: GU10, Mounting method: Recessed mounting, Place of installation: Ceiling-mounted, Material: Zinc casting / Aluminium casting, Degree of protection: according to DIN EN 60529 IP20, Protection class: (EN 61140) II, Power: 10 W, Amount of light sources / fittings: 1 Qty, without control gear, Control: Other.

### Product Benefits

- Einbaustrahler in quadratischer Bauform aus massivem Zinkguss und Aluminiumguss für LED-Retrofit-Lampen mit Sockel GU10 (inkl. Bügel zur normgerechten Zugentlastung).
- Deckenausschnitt 68 mm, Länge 83 mm, Breite 83 mm, Einbautiefe 125 mm, IP20.
- Schwenkbereich 25°.
- Große Farbvarianz. Ohne sichtbaren Sprengring.
- Klassische, leicht gewölbte Formgebung.
- In gleicher Optik auch als GX5,3-Ausführung, als schaltbares und dimmbares Set (Phasenabschnitt) lieferbar.


**BREENA-S Einbaustrahler, GU 10**

Article no. 36142030

| Article data       |                                  |
|--------------------|----------------------------------|
| Article no.        | 36142030                         |
| GTIN               | 4250047780434                    |
| Series name        | BREENA-S                         |
| Short description  | Einbaustrahler, GU10             |
| Material           | Zinc casting / Aluminium casting |
| Colour             | Chrome                           |
| Type of surface    | Matt                             |
| Shape              | Square                           |
| Length             | 83 mm                            |
| Width              | 83 mm                            |
| Built-in diameter  | 68 mm                            |
| Installation depth | 125 mm                           |
| Hight              | 5 mm                             |
| Weight             | 0.133 kg                         |
| Conformance        | CE, UKCA                         |

| Operating technology of the luminaire |                        |
|---------------------------------------|------------------------|
| System output                         | 10 W                   |
| Voltage type                          | AC                     |
| AC nominal voltage max                | 230 V                  |
| Frequency max                         | 50 Hz                  |
| Lamp                                  | For LED-retrofill lamp |
| Lamp holder                           | GU10                   |
| Protection class                      | II                     |
| Degree of protection                  | IP20                   |
| Control                               | Other                  |
| Bulb change possible                  | Yes                    |
| Energy efficiency class               | nicht erforderlich     |

| Mounting technology    |                                                           |
|------------------------|-----------------------------------------------------------|
| Mounting method        | Recessed mounting                                         |
| Place of installation  | Ceiling-mounted                                           |
| Adjustability          | Pivoted                                                   |
| Swivel angle           | 25°                                                       |
| Max. ceiling thickness | 15 mm                                                     |
| Further references     | No mounting box No cover with thermal insulation material |
| Material cover         | Without cover                                             |
| Circlip                | Without circlip                                           |

| Packing data            |                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Gross weight            | 0.193 kg                                                                                                                                                                                                                                                                                                                                                                       |
| Length of packaging     | 140 mm                                                                                                                                                                                                                                                                                                                                                                         |
| Packaging width         | 110 mm                                                                                                                                                                                                                                                                                                                                                                         |
| Packaging hight         | 120 mm                                                                                                                                                                                                                                                                                                                                                                         |
| Disposal at end of life | <p>This product must not be disposed of with household waste. You are obliged, to dispose of such electrical waste separately.</p> <p>By disposing of electrical waste and other old or defective electronics separately, you support recycling or other forms of re-use. In that way you help to take care and to avoid that harmful substances get into the environment.</p> |